



## Product Data Sheet

### FAGI BROTH

**Product No.** GB-DCM-00212-1A

### INTENDED USE

For detection of Escherichia coli in water.

### PRODUCT SUMMARY

Coliform organisms in water samples pose a major concern to the drinking water supply, the indicator organism being E. coli. Many media such as MacConkey broth have been identified for detection of MPN. FAGI Agar has used in the detection of thermotolerant E. coli and antibiotic resistance study. This medium is used for the detection of E. coli in water samples.

### Product Specifications

Ingredients	Gms / Ltr
Peptic digest of animal tissue	3.000
Magnesium sulphate	0.200
Manganese sulphate	0.050

### PRINCIPLE

The medium consists of Peptic digest of animal tissue which supplies nutrients and growth factors to the microorganisms.

### INSTRUCTION FOR USE

- Dissolve 3.25 grams in 1000 ml purified / distilled water.
- Heat if necessary to dissolve the medium completely.
- Dispense in tubes or flasks as desired and sterilize by autoclaving at 15 psi pressure (121°C) for 15 minutes.

### QUALITY CONTROL SPECIFICATIONS

Appearance of Powder: Cream to yellow homogeneous free flowing powder.

Appearance of prepared medium: Yellow coloured clear solution.

pH (at 25°C) : 6.9±0.2



**GOSLAR BIOTECH**  
*Your Partner in Sera*

<b>Microorganism</b>	<b>ATCC</b>	<b>Inoculum (CFU/ml)</b>	<b>Growth</b>	<b>Incubation Temperature</b>	<b>Incubation Period</b>
Escherichia coli	25922	50-100	luxuriant	35-37°C	18-48 Hours

### **STORAGE**

Dehydrated powder, hygroscopic in nature, store in a dry place, in tightly-sealed containers between 25-30°C and protect from direct sunlight. Under optimal conditions, the medium has a shelf life of 4 years. When the container is opened for the first time, note the time and date on the label space provided on the container. After the desired amount of medium has been taken out replace the cap tightly to protect from hydration.

**Product Deterioration:** Do not use if they show evidence of microbial contamination, discoloration, drying or any other signs of deterioration.

### **DISPOSAL**

After use, prepared plates, specimen/sample containers and other contaminated materials must be sterilized before discarding.

**This product is for research use only.**